

article **Liquid Frisket**
50300000

version: 2

Date: 09.02.2007
Page 1 of 3

1. Identification of the substance/preparation and of the company/undertaking

| | |
|-------------------------|---|
| Commercial Product name | Liquid Frisket |
| Use of the substance | A masking liquid to cover those parts of the design not intended to be part of the picture. |
| Company | H.Schmincke & Co. GmbH & Co. KG Otto-Hahn-Strasse 2 D-40699 Erkrath www.schmincke.de |
| Phone # | +49 (0) 211 - 25 09 - 0 |
| Telefax # | +49 (0) 211 - 25 09 - 461 |
| Information | Schmincke-laboratory: mo.-th. 8.00-16.30, fr. 8.00-13.30 tel.: +49 (0) 211 - 2509 - 474 eMail: labor@schmincke.de |
| Emergency Information | Emergencycall Berlin: +49 (0) 30 - 1 92 40 (0.00-24.00) |

2. Hazard identification

| | |
|------------------|--|
| Classification | |
| Nature of Hazard | Does not require a hazard labelling warning label, but the normal safety precautions for handling of chemicals must be observed. |

3. Composition/information on ingredients

| | |
|---------------------------------------|---|
| Chemical characterization (substance) | watery Copolymerdispersion |
| * Customs tariff number | art.no.: 50 300 - liquid frisket white masking fluid in jar |
| | art.no.: 50 730 - masking fluid, colourless white masking fluid in a handy dispensing bottle |
| | art.no.: 50 731 - masking fluid, coloured blue coloured masking fluid in a handy dispensing bottle |

4. First aid measures

| | |
|---------------------|---|
| General information | In case of problems seek medical advice and show the package or label |
|---------------------|---|

5. Fire fighting measures

| | |
|------------------------------|---|
| Suitable extinguishing media | Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas. Compatible with all usual extinguishing media. |
|------------------------------|---|

6. Accidental release measures

| | |
|------------------------|--|
| Additional information | When picked up, treat material as prescribed under heading "Disposal". |
|------------------------|--|

article **Liquid Frisket**
50300000

version: 2

Date: 09.02.2007
Page 2 of 3

7. Handling and storage

Particular use(s)

Particular use(s) No special measures necessary if stored and handled as prescribed.

8. Exposure controls / personal protection

Limitation and surveillance of the
exposure at the workplace.

General protection and hygiene measures No special measures necessary if used correctly.

9. Physical and chemical properties

Appearance

| | |
|--------|------------------------|
| Form | liquid |
| Colour | white cloudy |
| Odour | slight, original odour |

Safety relevant data

| | | |
|-------------------------------------|-----------------------------|---|
| Boiling temperature / boiling range | ca. 100 °C | - |
| Density | 0,8 - 0,9 g/cm ³ | |
| pH value | ca. 10 | - |

10. Stability and reactivity

11. Toxicological information

12. environmental data

Details of elimination (decomposition and
persistence)

Further details water risk class: 1 - precautionary

13. Disposal considerations

Product

Recommendation 080112 waste paint and varnish other than those mentioned in 080111

14. transport information

Additional information

Safety Data Sheet according to 1907/2006/EG

article **Liquid Frisket**
50300000

version: 2

Date: 09.02.2007
Page 3 of 3

Additional information

The product does not constitute a hazardous substance in national / international road, rail, sea and air transport.

15. legal regulations

Classification

Nature of Hazard

The product does not require a hazard warning label in accordance with EC directives/ GefStoffV (German regulations on dangerous substances).

16. Other information

Further remarks

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.